

Yamamori-Seisa
PARTS CATALOGUE

【 1 】フック式金具(丸カン付)

			
F-1	F-2	F-3	F-4
9mm	10mm	12mm	14mm
(18Y)(18W)(18P)(P850)	(18Y)(18W)(18P)(P850)	(18Y)(18W)(18P)(P850)	(18Y)(18W)(P850)

		
F-5	F-6	F-7
16mm	19mm	24mm
(18Y)(P850)	(18Y)(P850)	(18Y)(P850)

【 2 】フック式金具

		
FL-1	FL-2	FL-3
9mm	12mm	15mm
(18Y)(18W)(18P)(P850)	(18Y)(18P)(P850)	(18Y)(P850)

		
FS-1	FS-2	FS-3
9mm	10mm	14mm
(18Y)(18W)(18P)(P850)	(18Y)(18P)(P850)	(18Y)(P850)

【 3 】フック式金具(YFK)

	
YFK-8.0	YFK-10
8mm	10mm
(18Y)(18W)(18P)(P850) (10Y)(10W)(10P)	(18Y)(18W)(18P)(P850) (10Y)(10W)(10P)

18 ・ (18Y) ... K18YG 85 ・ (P850) ... PT850 10 ・ (10Y) ... K10YG 14 ・ (14Y) ... K14YG
18 ・ (18P) ... K18PG 10 ・ (10P) ... K10PG 14 ・ (14W) ... K14WG
18 ・ (18W) ... K18WG 10 ・ (10W) ... K10WG

【 4 】ヒキワ式金具・ヒキワセット

ヒキワ 	ヒキワ 	ヒキワ 	ヒキワ 	ヒキワ 
5mm	6mm	7mm	8mm	9mm
(18Y)(18W)(18P)(P850)	(18Y)(18W)(18P)(P850)	(18Y)(18W)(18P)(P850)	(18Y)(P850)	(18Y)(P850)
(10Y)(10W)(10P)				
(14Y)(14W)				
			秀わベーシック 	秀わハート 
ヒキワセット 丸カンロー付 (5 [≒] _リ ・8 [≒] _リ ・0.5)	ヒキワセット 丸カンロー付 (5 [≒] _リ ・9 [≒] _リ ・0.5)	ヒキワセット 丸カンロー付 (6 [≒] _リ ・9 [≒] _リ ・0.55)		
(18Y)(P850)	(18Y)(P850)	(18Y)(P850)		

【 5 】秀わ

ベーシック 	ベーシック 	ベーシック 	ベーシック 	ベーシック 
ハート 	ハート 	ハート 	ハート 	ハート 
秀わ 4.5mm	秀わ 5mm	秀わ 6mm	秀わ 7mm	秀わ 8mm
(18Y)(18W)(18P)(P850)	(18Y)(P850)	(18Y)(18W)(18P)(P850)	(18Y)(18W)(18P)(P850)	(18Y)
(10Y)(10W)(10P)	(10Y)(10W)(10P)			

【 6 】板ダルマ

板ダルマ 	板ダルマ 	板ダルマ 	板ダルマ 	B-1 
板ダルマ 7mm	板ダルマ 8mm	板ダルマ 9mm	板ダルマ 11mm	B-1 8mm
(18Y)	(18Y)(18W)(18P)(P850)	(18Y)(18W)(18P)(P850)	(18Y)(18W)(P850)	(18Y)(18W)(18P)(P850)
				(10Y)(10W)(10P)

【 7 】エイトカン

	
エイトカン(A) (0.5×3.5)+0.5	エイトカン(α) (0.6×4)+0.55
(18Y)(18P)	(18Y)(18P)
	(10Y)

【 8 】安全ダルマ


安全ダルマ (ボタンカン)
(18Y)(P900)

【 9 】三連ダルマ


三連ダルマ
(18Y)(P850)

【 10 】アジャスター用板

				
アジャスター用板	アジャスター ハート板	菱形プレート	チャームプレート DP-Y13-052	チャームプレート DP-Y13-053
(18Y)(18W)(18P)(P850)	(18Y)(18W)(18P)(P850)	(18Y)(18W)(18P)(P850)	(18Y)	(18Y)
(10Y)(10W)(10P)	(10Y)(10W)(10P)	(10Y)(10W)(10P)		
(14Y)(14W)				

【 11 】丸カン ※WGメッキ無


0.4Φ  0.4 × 1.95mm (18Y)(18W)(18P)(P850) (10Y)(10W)(10P)	0.45Φ  0.45 × 2.0mm (18Y)(18W)(18P)(P850) (10Y)(10W)(10P) (14Y)(14W)	0.5Φ  0.5 × 2.3mm (18Y)(18W)(18P)(P850) (10Y)(10W)(10P) (14Y)(14W)	0.55Φ  0.55 × 2.5mm (18Y)(18W)(18P)(P850) (10Y)(10W)(10P) (14Y)(14W)	0.6Φ  0.6 × 2.7 (18Y)(18W)(18P)(P850) (10Y)(10W)(10P) (14Y)
0.7Φ  0.7 × 3.0mm (18Y)(18W)(18P)(P850) (10Y)	0.8Φ  0.8 × 3.5mm (18Y)(18W)(18P)(P850) (14Y)	0.9Φ  0.9 × 4.0mm (18Y)(18P)(P850)	1.0Φ  1.0 × 4.0mm (18Y)	1.0Φ  1.0 × 5.0mm (18Y)(P850)
1.0Φ  1.0 × 6.0mm (18Y)	1.0Φ  1.0 × 7.0mm (18Y)	1.2Φ  1.2 × 5.0mm (18Y)	1.2Φ  1.2 × 6.0mm (18Y)	1.2Φ  1.2 × 7.0mm (18Y)(P850)


【 12 】AJ用丸カン ※WGメッキ無


0.3Φ  0.3 × 2.5mm (18Y)(18W)(18P)(P850) (10Y)(10W)(10P) (14Y)	0.4Φ  0.4 × 3.0mm (18Y)(18W)(18P)(P850) (10Y)(10W)(10P) (14Y)(14W)	0.5Φ  0.5 × 3.5mm (18Y)(18W)(18P)(P850) (10Y)(10W)(10P) (14Y)	0.5Φ  0.5 × 4.0mm (18Y)(18W)(18P)(P850) (10Y)(10W)(10P) (14Y)	0.6Φ  0.6 × 4.0mm (18Y)(18W)(18P)(P850) (10Y)
0.7Φ  0.7 × 5.0mm (18Y)(18W)				


18 ・ (18Y) ... K18YG 85 ・ (P850) ... PT850 10 ・ (10Y) ... K10YG 14 ・ (14Y) ... K14YG
18 ・ (18P) ... K18PG 10 ・ (10P) ... K10PG 14 ・ (14W) ... K14WG
18 ・ (18W) ... K18WG 10 ・ (10W) ... K10WG


【 13 】ハンガーパーツ



ハンガーパーツ(レーザー)
DP-Y13-045
(18Y)



ハンガーパーツ(レーザー)
DP-Y13-046
(18Y)


ハンガーパーツ(レーザー)
DP-Y13-047
(18Y)


ハンガーパーツ(レーザー)
DP-Y13-048
(18Y)



ハンガーパーツ(レーザー)
DP-Y13-049
(18Y)


ハンガーパーツ(レーザー)
DP-Y13-050
(18Y)


ハンガーパーツ(レーザー)
DP-Y13-051
(18Y)

【 14 】ピアス金具


フックタイプ
DP-Y13-054
(18Y)


ドロップタイプ
DP-Y13-055
(18Y)


フックタイプ
DP-Y13-057
(18Y)


キドニータイプ
DP-Y13-058
(18Y)


マーキスタイプ
DP-Y13-059
(18Y)


DP-Y13-056
(18Y)


フックタイプ
No. 1-1
(18Y)


フックタイプ
No. 1-2
(18Y)


フックタイプ
No. 1-2A
(18Y)


フックタイプ
No. 2-1
(18Y)


フックタイプ
No. 2-2
(18Y)


フックタイプ
No. 3-1
(18Y)

【 15 】フックプレート ※K18WGメッキ無

			
S	M	L	
2.6mm	3.3mm	4mm	
(18Y) (P850)	(18Y) (P850)	(18Y) (P850)	
(18P) (18W)	(18P) (18W)	(18P) (18W)	

			
5L	6L	7L	8L
5mm	6mm	7mm	8mm
(18Y) (P850)	(18Y) (P850)	(18Y) (P850)	(18Y) (P850)
(18W)	(18W)	(18W)	(18W)

【 16 】バチカン

				
バチカン プレス	甲丸バチカン S	甲丸バチカン M	甲丸バチカン L	
(18Y) (P850)	(18Y)	(18Y)	(18Y)	

				
キャスト・バチカン Q	キャスト・バチカン P	キャスト・バチカン O	キャスト・バチカン N	キャスト・バチカン R
(18Y)	(18Y)	(18Y)	(18Y)	(18Y)

			
キャスト・バチカン J	キャスト・バチカン H	キャスト・バチカン G	
(18Y)	(18Y)	(18Y)	

18 ・ (18Y) ... K18YG 85 ・ (P850) ... PT850 10 ・ (10Y) ... K10YG 14 ・ (14Y) ... K14YG
18 ・ (18P) ... K18PG 10 ・ (10P) ... K10PG 14 ・ (14W) ... K14WG
18 ・ (18W) ... K18WG 10 ・ (10W) ... K10WG

【 17 】エンドキャップ K18WGメッキ無

			
2.0mm	2.5mm	3.0mm	3.5mm
(内径 φ 1.5mm)	(内径 φ 2.0mm)	(内径 φ 2.5mm)	(内径 φ 3.0mm)
(18Y) (P850)	(18Y) (P850)	(18Y) (P850)	(18Y) (P850)
(18P) (18W)	(18P) (18W)	(18P) (18W)	(18P) (18W)

		
4.0mm	4.5mm	5.0mm
(内径 φ 3.5mm)	(内径 φ 4.0mm)	(内径 φ 4.5mm)
(18Y) (P850)	(18Y) (P850)	(18Y) (P850)

【 18 】中空ボール

				
2.3mm	3.0mm	3.6mm	4.0mm	4.5mm
(18Y) (P850)	(18Y)(18W)(18P)(P850)	(18Y) (P850)	(18Y)(18W)(P850)	(18Y) (P850)
	(10Y)(10W)(10P)		(14Y)	
	(14Y)			

	
5.0mm	6.0mm
(18Y)(18W)(P850)	(18Y) (P850)
(14Y)	(14Y) (14W)

【 19 】ミラーボール

				
2.5mm	3.0mm	3.5mm	4.0mm	5.0mm
(18Y) (P850)	(18Y) (P850)	(18Y)	(18Y) (P850)	(18Y) (P850)

		
6.0mm	7.0mm	8.0mm
(18Y) (P850)	(18Y) (P850)	(18Y) (P850)

【 20 】セフティー・シャカ玉 ※K18WGメッキ無

				
S	M	L	LL	3L
(18Y)(18W)(P850)	(18Y)(18W)(P850)	(18Y)(18W)(P850)	(18Y)(P850)	(18Y)(P850)
※セフティーSS	※セフティーM70	※セフティーM75	※セフティーM80	※セフティーM90
				
シャカ玉対応サイズ			シャカ玉対応サイズ	
S・M・L			LL	
(18Y)(18W)(P850)			(18Y)(P850)	

【 21 】中折金具(セフティー付) ※K18WGメッキ無

				
N-1s	N-2s	N-3s	N-4s	N-5s
4.2mm	5.0mm	6.2mm	7.0mm	8.5mm
(18Y)(18W)(18P)(P850)	(18Y)(18W)(18P)(P850)	(18Y)(18W)(P850)	(18Y)(18W)(P850)	(18Y)(18W)(P850)
				
N-6s	N-7s	N-8s		
9.0mm	10.0mm	11.0mm		
(18Y)(P850)	(18Y)	(18Y)		

【 22 】中折金具(セフティー無し)

		
N-0	NR-1	RN-1A
3.5mm	5.0mm	4.3mm
(18Y)(18W)(P850)	(18K)	(18Y)(18P)(P850)

18 ・ (18Y) ... K18YG 85 ・ (P850) ... PT850 10 ・ (10Y) ... K10YG 14 ・ (14Y) ... K14YG
18 ・ (18P) ... K18PG 10 ・ (10P) ... K10PG 14 ・ (14W) ... K14WG
18 ・ (18W) ... K18WG 10 ・ (10W) ... K10WG

【 23 】差込金具(上のせタイプ) ※K18WGメッキ無

・溝の幅表示


				
C-0	C-1	C-2	C-3	C-4
3.0mm	3.5mm	4.5mm	6.0mm	7.0mm
(18Y)(18W)(18P)(P850)	(18Y)(18W)(18P)(P850)	(18Y) (P850)	(18Y) (P850)	(18Y) (P850)
				
C-5	C-6	C-5B		
10.0mm	11.0mm	10.0mm		
(18Y) (P850)	(18Y)	(18Y)		

【 24 】差込金具(ボックスタイプ)

※幅表示

		
BR-0	BR-1	BR-2
3.0mm	5.0mm	6.3mm
(18Y) (P850)	(18Y) (P850)	(18Y) (P850)
		
B-0	B-1	B-2
3.0mm	5.0mm	6.3mm
(18Y) (18P) (P850)	(18Y) (P850)	(18Y) (P850)

【 25 】タイチェーンハンガー(A)、(B)

	
タイチェーンハンガー(A)	タイチェーンハンガー(B)
(18Y) (P900)	(18Y) (P900)

【 26 】張り合わせパーツ

	
直径:約10.5mm	
ボール・ハート L	
DP-Y14-020	
(18Y)(18W)(18P)	

	
直径:約8.5mm	
ボール・ハート M	
DP-Y14-021	
(18Y)(18W)(18P)	

	
直径:約7mm	
ボール・ハート S	
DP-Y14-022	
(18Y)(18W)(18P)	

	
直径:約8.8mm	
ボール・ライン L	
DP-Y14-023	
(18Y)(18W)(18P)	

	
直径:約8mm	
ボール・ライン M	
DP-Y14-024	
(18Y)(18W)(18P)	

	
直径:約7mm	
ボール・ライン S	
DP-Y14-025	
(18Y)(18W)(18P)	

	
直径:約7mm	
ボール・ダイヤ S	
DP-Y14-028	
(18Y)(18W)(18P)	

【 27 】ビーズパーツ


外径3.0Φ × 幅2 × 穴径1
糙目ボールー角
DP-Y14-030
(18Y)(18W)(18P)


辺1.5 × 幅2 × 穴径1
キューブボール
DP-Y14-031
(18Y)(18W)(18P)


外径3.5幅1.45 × 穴径1.3
ドーナツボール
DP-Y14-032
(18Y)(18W)(18P)


外径2.8幅2.5 × 穴径0.8
糙目ボール オーバル
DP-Y14-033
(18Y)(18W)(18P)


外径2.5幅1.5 × 穴径1.2
オーバル梨地
DP-Y14-034
(18Y)(18W)(18P)


外径1.4 × 幅4 × 穴径 × 1.2
糙目パイプ(1.4 × 4)
DP-Y14-035
(18Y)(18W)(18P)


外径1.8 × 幅4 × 穴径 × 1.2
糙目パイプ(1.8 × 4)
DP-Y14-036
(18Y)(18W)(18P)

18 ・ (18Y) ... K18YG 85 ・ (P850) ... PT850
 18 ・ (18P) ... K18PG
 18 ・ (18W) ... K18WG

10 ・ (10Y) ... K10YG 14 ・ (14Y) ... K14YG
 10 ・ (10P) ... K10PG 14 ・ (14W) ... K14WG
 10 ・ (10W) ... K10WG

【 28 】スライドパーツ


スライド玉
2.5mm
(18Y)(18W)(18P)(P850)
(10W)(10P)


スライド玉
2.7mm
(18Y)(18W)(18P)(P850)
(10W)(10P)


スライド玉
3.0mm
(18Y)(18W)(18P)(P850)
(14W)(10Y)(10W)(10P)


スライド玉
3.5mm
(18Y)(18W)(18P)(P850)


スライド玉
4.0mm
(18Y)(18W)(18P)(P850)
(14W)(10Y)(10W)(10P)


スライド玉
4.5mm
(18Y)(18W)(18P)(P850)


スライド玉
5.0mm
(18Y)(18W)(18P)(P850)


スライド玉
5.5mm
(18Y)(18W)(18P)(P850)


スライド玉
6.0mm
(18Y)(18W)(18P)(P850)

18 ・ (18Y) ... K18YG 85 ・ (P850) ... PT850 10 ・ (10Y) ... K10YG 14 ・ (14Y) ... K14YG
18 ・ (18P) ... K18PG 10 ・ (10P) ... K10PG 14 ・ (14W) ... K14WG
18 ・ (18W) ... K18WG 10 ・ (10W) ... K10WG



株式会社 山森製鎖

【東京営業所】

〒110-0005 東京都台東区上野5-13-10
TEL(03)3839-3111 FAX(03)3839-3110

【大阪営業所】

〒542-0081 大阪市中央区南船場2-8-5リズム大阪ビル1F
TEL(06)6263-1277 FAX(06)6263-1278

【福岡営業所】

〒812-0011 福岡市博多区博多駅前3-9-15
TEL(092)481-1565 FAX(092)483-0560

【富山営業所】

〒930-0816 富山県富山市上赤江町1-3-63
TEL(076)432-3161 FAX(076)432-0077
Email: honsha-eigyuu@yamamori-gr.net

【本社・工場】

〒930-0816 富山県富山市上赤江町1-3-63
TEL(076)432-5907 FAX(076)432-0077

【代理店 (有)名古屋ゴールドチェーン】

〒453-0013 名古屋市守村区亀島2-12-12コマツビル3F
TEL(052)451-8388 FAX(052)451-8688