














Yamamori-Seisa

CHAIN CATALOGUE
Machine Chain






SILVER

Cable (小判/小豆)






Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SK 25		1.67	0.51	0.91
SK 30		2.39	0.73	1.33
SK 30B		2.30	0.70	1.29
SK 35		3.33	1.02	1.75
SK 40		4.44	1.35	2.24
SK 40-2		4.63	1.41	2.32
SK 45		5.27	1.61	2.60
SK 45-2		6.04	1.84	2.95
SK 50		6.84	2.09	3.30
SK 50-2		7.80	2.38	3.77
SK 55		8.40	2.56	3.99
SK 55-2		8.79	2.68	4.16
SK 60		10.60	3.23	4.97
SK 65		12.00	3.66	5.59
SK 65-2		12.82	3.91	5.95
SK 80		18.11	5.52	8.29
SK 80-2		18.17	5.54	8.32
SK 100		28.25	8.61	12.78
SK 120		39.92	12.17	18.28
SK 140		61.58	18.77	27.88
SK 160		78.89	24.05	35.75
SK 180		101.95	31.07	46.16
SK 200		120.11	36.61	54.21
SK 3025		1.55	0.47	0.86
SK 3030		2.17	0.66	1.23
SK 3035		3.07	0.94	1.63
SK 3040		4.12	1.26	2.10
SK 3045		4.90	1.49	2.44
SK 3055		7.59	2.31	3.63
SK 3065		11.41	3.48	5.32
SK 3080		17.04	5.19	7.82

SK 4025		1.28	0.39	0.84
SK 4030		1.90	0.58	1.11
SK 4030 B		1.80	0.55	1.07
SK 4035		2.65	0.81	1.44
SK 4040		3.62	1.10	1.87
SK 4045		4.20	1.28	2.13
SK 4045-2		5.15	1.57	2.55
SK 4050		5.61	1.71	2.75
SK 4055		7.27	2.22	3.49
SK 4060		9.10	2.77	4.30
SK 4065		10.30	3.14	4.83
SK 4080		15.80	4.82	7.27
SK 4100		25.80	7.86	11.70





Rhomboid Cable (菱形小判)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SKS 25		1.35	0.41	0.77
SKS 35		2.52	0.77	1.39
SKS 3025		1.31	0.40	0.75
SKS 3035		2.40	0.73	1.33
SKS 3045		4.11	1.25	2.09
























Twisted Cable (捻り小判)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SKTS 50		8.21	2.50	3.91
SKTS 55		10.26	3.13	4.82
SKTS 60		11.58	3.53	5.40
SKTS 65		12.95	3.95	6.00
SKTS 80		21.31	6.50	9.71






























Round Cable

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SKM 40		5.49	1.67	2.70
SKM 50		8.42	2.57	4.00
SKMV 4040		4.17	1.27	2.12
SKMV 4050		6.52	1.99	3.16


Open Cable (荒小判)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SKO 25		1.65	0.50	0.90
SKO 30		2.23	0.68	1.26
SKO 35		3.13	0.95	1.66
SKO 40		4.29	1.31	2.17
SKO 45		5.32	1.62	2.63
SKO 65		11.30	3.44	5.28
SKO 80B		15.47	4.72	7.12
SKO 100		26.09	7.95	11.81
SKO 120		40.56	12.36	18.24
SKO 130		46.84	14.28	20.98
SKO 140		53.62	16.34	24.03
SKO 160		70.48	21.48	31.50
SKO 180		90.58	27.61	40.40
SKO 200		109.68	33.43	48.86
SKO 3025		1.49	0.45	0.83
SKO 3030		2.12	0.65	1.21
SKO 3035		2.89	0.88	1.55
SKO 3040		3.88	1.18	1.99
SKO 3045		4.87	1.48	2.43
SKORP 30		2.02	0.62	1.16
SKORP 35		2.51	0.77	1.38
SKORP 45		4.32	1.32	2.18
SKOL 25		1.48	0.45	0.83



















Long Cable (長小判/長小豆)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SKL 30B		1.93	0.59	1.12
SKL 35B		2.67	0.81	1.45
SKL 40		3.77	1.15	1.94
SKL 50		5.87	1.79	2.87
SKL 60		8.09	2.47	3.85
SKL 80		12.67	3.86	5.88
SKL 120		31.85	9.71	14.71
SKL 150		50.48	15.39	23.16
SKL 160		58.10	17.71	26.54
SKL 4040		3.06	0.93	1.63
SKL 4050		4.76	1.45	2.38
SKL 4060		6.72	2.05	3.25
SKL 4080		10.71	3.26	5.02
SKL 7040		3.20	0.98	1.69
SKL 7050		5.09	1.55	2.52
SKL 7060		6.82	2.08	3.29
SKL 7080		11.60	3.54	5.41
SKLPW 80		12.27	3.74	5.71
SKLPW 100		21.21	6.47	9.65
SKLB 25		1.32	0.40	0.76
SKLB 30		1.86	0.57	1.09
SKLB 35		2.57	0.78	1.41
SKLB 40		3.47	1.06	1.81
SKLB 45		4.23	1.29	2.15
SKLB 3025		1.21	0.37	0.71
SKLB 3030		1.60	0.49	0.98
SKLB 3035		2.20	0.67	1.24
SKLB 3040		3.10	0.95	1.65
SKLB 3045		3.77	1.15	1.94















Rectangular Cable

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SKB 130		3.12	0.95	1.65









Patterned Cable (モザイク)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SKG 30		2.25	0.69	1.27
SKG 35		2.98	0.91	1.59
SKG 40		4.05	1.23	2.06
SKG 50		6.35	1.94	3.08
SKG 55		8.05	2.45	3.84
SKG 60		9.70	2.96	4.57
SKG 65		11.28	3.44	5.27
SKG 80		17.35	5.29	7.96
SKG 100		25.10	7.65	11.39
SKG 120		35.89	10.94	16.17
SKG 2030		2.10	0.64	1.20
SKG 2035		2.88	0.88	1.55
SKG 2040		3.92	1.20	2.01
SKG 2045		4.90	1.49	2.44
SKG 2050		6.25	1.91	3.04
SKG 2065		9.50	2.90	4.48
SKG 2080		16.34	4.98	7.51
SKG 2100		26.38	8.04	11.96

















Patterned Long Cable (長小判ギザ)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SKLG 30 B		1.82	0.56	1.08
SKLG 35 B		2.45	0.75	1.36
SKLG 40		3.34	1.02	1.75
SKLG 50		5.45	1.66	2.68
SKLG 60		7.60	2.32	3.64
SKLG 80		12.05	3.67	5.61
SKLG 100		20.46	6.24	9.33
SKLG 120		30.44	9.28	14.08
SKLG 2030 B		1.79	0.55	1.06
SKLG 2035 B		2.50	0.76	1.38
SKLG 2040		3.40	1.04	1.78
SKLG 2050		5.24	1.60	2.59
SKLG 2060		7.32	2.23	3.51
SKLG 2080		12.19	3.72	5.67


Cable V-Cutting (ミラコロ)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SKV 4040-2		3.51	1.07	1.82
SKV 4045-2		4.37	1.33	2.21
SKV 4050-2		5.86	1.79	2.87
SKV 4055-2		6.62	2.02	3.20
SKV 4065-2		9.90	3.02	4.66
SKV 4080-2		13.54	4.13	6.27
SKV 4100		21.64	6.60	9.86
SKV 4120		32.28	9.84	14.57














Curb (キヘイ)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SC 25		1.90	0.58	1.01
SC 30		2.67	0.81	1.45
SC 35		3.60	1.10	1.86
SC 40		4.90	1.49	2.44
SC 45		6.10	1.86	2.97
SC 60		12.09	3.69	5.63
SC 80		20.49	6.25	9.35
SC 100		33.79	10.30	15.24
SC 120		46.93	14.30	21.39
SC 140		65.63	20.00	29.67
SC 2025		1.72	0.52	0.93
SC 2030		2.39	0.73	1.33
SC 2035		3.32	1.01	1.74
SC 2040		4.44	1.35	2.23
SC 2045		5.90	1.80	2.88
SC 2100		32.55	9.92	14.69









Twisted Double Curb (ダブルキヘイツイスト)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SCWT 8035		6.80	2.07	3.28

Open Curb (荒キヘイ)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SCO 25		1.61	0.49	0.88
SCO 30		2.25	0.69	1.27
SCO 35		3.06	0.93	1.63
SCO 45		5.15	1.57	2.55
SCO 60		9.20	2.80	4.35
SCO 80		18.09	5.51	8.28
SCO 2025		1.46	0.45	0.82
SCO 2030		2.04	0.62	1.17
SCO 2035		2.78	0.85	1.50
SCO 2045		4.75	1.45	2.37
SCO 2060		9.04	2.76	4.27
SCO 2080		16.34	4.98	7.51
SCOS 55		9.51	2.90	4.48





















Small and Big Curb (エスアンドビーキヘイ)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SCSB 25		1.49	0.45	0.83
SCSB 30		2.14	0.65	1.22
SCSB 35		2.82	0.86	1.51
SCSB 40		3.68	1.12	1.90
SCSB 2025		1.30	0.40	0.75
SCSB 2030		1.97	0.60	1.14
SCSB 2035		2.49	0.76	1.37
SCSB 2040		3.37	1.03	1.76








Octo (オクト)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
OCTO 60		10.58	3.23	4.96






Long Curb (長キヘイ)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SCL 25		1.32	0.40	0.75
SCL 30		1.91	0.58	1.12
SCL 35		2.48	0.76	1.37
SCL 40		3.63	1.11	1.88
SCL 45		4.47	1.36	2.25
SCL 50		5.31	1.62	2.62
SCL 60		7.81	2.38	3.73
SCL 80		14.22	4.33	6.57
SCL 100		19.98	6.09	9.12
SCL 120		29.33	8.94	13.27
SCL 2025		1.13	0.34	0.67
SCL 2030		1.74	0.53	1.04
SCL 2035		2.22	0.68	1.26
SCL 2040		3.16	0.96	1.67
SCL 2045		4.24	1.29	2.15
SCL 2050		4.86	1.48	2.43
SCL 2060		7.14	2.18	3.43
SCL 2080		12.75	3.89	5.92
SCL 2100		18.14	5.53	8.31
SCL 2120		26.62	8.11	12.08



















コンパクトチェーン丸 Type

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SCPM 25		4.36	1.33	2.20
SCPM 30		6.67	2.03	3.22
SCPM 35		9.35	2.85	4.41
SCPM 40		11.66	3.55	5.44
SCPM 45		13.50	4.12	6.25
SCPM 8030		6.05	1.84	2.95
SCPM 8035		7.72	2.35	3.69







コンパクトチェーン四角 Type

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SCPS 30		5.76	1.76	2.82
SCPS 35		7.50	2.29	3.59
SCPS 45		12.50	3.81	5.81
SCPS 4035		6.81	2.08	3.29
SCPS 4045		11.50	3.51	5.36








Box (ベネチアン)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SVN 70		2.48	0.76	1.27
SVN 80		2.70	0.82	1.37
SVN 90		4.05	1.23	2.06
SVN 100		5.34	1.63	2.64
SVN 120		7.15	2.18	3.44
SVN 130		8.55	2.61	4.06
SVN 140		9.66	2.94	4.55
SVN 150		12.20	3.72	5.67
SVN 200		22.20	6.77	10.10
SVN 2120		5.75	1.75	2.82
SVN 2130		7.20	2.20	3.46
SVN 4090		3.52	1.07	1.83
SVN 4100		4.64	1.41	2.33
SVN 4120		5.94	1.81	2.90
SVN 4130		7.10	2.16	3.42
SVN 4150		10.13	3.09	4.76
SVN 4200		20.25	6.17	9.24
SVN 8130		7.20	2.20	3.46

Long Box

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SVNL 100		2.20	0.67	1.24
SVNL 130		4.03	1.23	2.06
SVNL 150		7.71	2.35	3.69
SVNL 160		6.20	1.89	3.02
SVNL 200		9.09	2.77	4.30
SVNL 4100		2.14	0.65	1.22

Twisted Box

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SVNT 80		2.38	0.73	1.32
SVNT 90		3.70	1.13	1.91
SVNT 100		5.19	1.58	2.57
SVNT 120		6.50	1.98	3.15
SVNT 130		8.23	2.51	3.92
SVNTS 90		4.20	1.28	2.13
SVNTS 100		5.58	1.70	2.74

Round Box

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SVNM 90		3.07	0.94	1.63
SVNM 100		4.33	1.32	2.19
SVNM 120		5.97	1.82	2.91
SVNM 130		6.85	2.09	3.30
SVNM 150		9.59	2.92	4.52
SVNH 130		7.80	2.38	3.72
SVNH 150		11.56	3.52	5.39
ETUDE 100		5.18	1.58	2.56
ETUDE 130		7.51	2.29	3.60

V-Cutting Box

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SVNV 130		6.91	2.11	3.33
SVNV 150		9.54	2.91	4.50
SVNV 200		17.71	5.40	8.12
SVNV 8150		8.00	2.44	3.81

Bead

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SBLC 100		2.70	0.82	1.47
SBLC 120		4.25	1.30	2.15
SBLC 150		6.40	1.95	3.11
SBLC 180		8.90	2.71	4.21
SBLC 200		11.25	3.43	5.25
SBLC 250		15.70	4.79	7.23
SBLC 300		23.02	7.02	10.47
SBLC 350		29.76	9.07	13.45
SBLC 400		40.48	12.34	18.20
SBLC 8100		2.58	0.79	1.41
SBLC 8120		3.98	1.21	2.03
SBLC 8150		5.76	1.76	2.82
SBLC 8180		7.97	2.43	3.80
SBLC 8200		10.17	3.10	4.78
SBLC 8250		14.92	4.55	6.88
SBLC 8300		21.46	6.54	9.78

















Alternating Bead

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SBLC 12LS 100		3.05	0.93	1.62
SBLC 12LS 120		4.47	1.36	2.26
SBLC 12LS 150		6.75	2.06	3.26
SBLC 12LS 180		9.80	2.99	4.60
SBLC 12LS 8100		2.64	0.81	1.35
SBLC 12LS 8120		3.94	1.20	2.01
SBLC12LS 8150		6.00	1.83	2.93
SBLC 34LS 150		6.73	2.05	3.25
SBLC 34LS 8150		6.00	1.83	2.93
SBLC 37LS 150		7.53	2.30	3.61
SFBLC 150		6.84	2.09	3.30





Rolo (ハーフラウンド)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SKR 30		1.34	0.41	0.86
SKR 40		2.48	0.76	1.37
SKR 50		3.79	1.16	1.95
SKR 60		6.16	1.88	3.00
SKR 70		8.43	2.57	4.00
SKR 90		13.47	4.11	6.23
SKR 110		19.15	5.84	8.75
SKR 130		27.47	8.37	12.44
SKR 150		36.79	11.21	16.57
SKR 4040		2.22	0.68	1.25
SKR 4050		3.47	1.06	1.81
SKR 4060		5.35	1.63	2.64
SKR 4070		7.24	2.21	3.48
SKR 4090		11.68	3.56	5.44
SKR 7040		2.11	0.64	1.20
SKR 7050		3.35	1.02	1.75
SKR 7060		5.20	1.59	2.57
SKR 7070		6.81	2.08	3.29
SKR 7090		10.37	3.16	4.86
SKR 7110		14.74	4.49	6.80
SKR 7130		21.20	6.46	9.64









Large Link Rolo

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SKRL 40		2.44	0.74	1.35
SKRL 40-2		2.37	0.72	1.32
SKRL 50-2		3.69	1.13	1.90
SKRL 60-2		5.22	1.59	2.58
SKRL 70		7.82	2.38	3.73
SKRL 90		12.49	3.81	5.80
SKRL 4040-2		2.23	0.68	1.26
SKRL 4050-2		3.46	1.06	1.80
SKRL 4060-2		4.91	1.50	2.45
SKRL 4070		7.46	2.27	3.57
SKRL 4090		11.81	3.60	5.50
SKRL 7040-2		1.86	0.57	1.09
SKRL 7050-2		2.79	0.85	1.51
SKRL 7060-2		4.13	1.26	2.11
SKRL 7070		6.02	1.84	2.94
SKRL 7090		9.46	2.88	4.46


Oval Type Rolo

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SKROH 30		0.95	0.29	0.69
SKROH 35		1.54	0.47	0.95
SKROH 40		1.73	0.53	1.04
SKROH 90		8.70	2.65	4.12



Stud Curb (スタッドキヘイ)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
STUD 115 SC 30		4.20	1.28	2.13
STUD 115 SC 35		5.12	1.56	2.54
STUD 108 SC 2035		5.90	1.80	2.88
STUD 108 SCSCR 2035		5.52	1.68	2.72
STUD 110 SCSCR 2035		5.00	1.52	2.49
STUD 105 SCSCR 2035		6.66	2.03	3.22
STUD 110 SC 2035		5.25	1.60	2.60
STUD 105 SC 2035		6.66	2.03	3.22


Stud Cable (スタッド小判)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
STUD 115 SK 30		3.86	1.18	1.98



Stud Compact (スタッドコンパクト)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
STUD 108 SCPM 25		6.60	2.01	3.19
STUD 110 SCPS 30		8.02	2.44	3.82





Stud Rolo (スタッドロロ)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
STUD 115 SKR 30		2.03	0.62	1.17













Stud Box (スタッドベネ)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
STUD 115 SVN 80		4.18	1.27	2.12
STUD 115 SVN 90		5.46	1.66	2.69



















Stud Ball

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
STUD 115 SBLC 100		4.10	1.25	2.09
STUD 1320 SBLC 100		3.74	1.14	1.93
STUD 315 SBLC 8100		5.42	1.65	2.67
STUD 315 SBLC 8120		6.98	2.13	3.36

















Singapore (シンガポール)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SKWP 20B		1.78	0.54	1.06
SKWP 25		2.75	0.84	1.49
SKWP 30		3.58	1.09	1.86
SKWP 30B		4.58	1.40	2.29
SKWP 35		5.49	1.67	2.71
SKWP 40		7.12	2.17	3.42
SKWP 45		8.59	2.62	4.08
SKWP 65		17.50	5.33	8.02
SCSCR 25		1.59	0.49	0.87
SCSCR 2030		2.26	0.69	1.27
SCSCR 2035		2.78	0.85	1.50
SCSCR 2040		4.10	1.25	2.09










Rope (ダブル小判)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SKW 16		1.17	0.36	0.79
SKW 20 B		1.96	0.60	1.14
SKW 25		3.25	0.99	1.71
SKW 25 B		3.08	0.94	1.63
SKW 30		4.55	1.39	2.30
SKW 30 B		4.55	1.39	2.29
SKW 35		6.34	1.93	3.08
SKW 35 B		6.35	1.94	3.08
SKW 40		8.27	2.52	3.93
SKW 45		10.82	3.30	5.06
SKW 65		23.27	7.09	10.58
SKWT 35		7.00	2.13	3.37
SKWT 45		11.93	3.64	5.55
SKWT 8020 B		1.85	0.56	1.09
SKWT 8025 B		3.31	1.01	1.74
SKWT 8030 B		4.97	1.52	2.47
SKWT 8035		6.53	1.99	3.16
SKWT 8045		10.49	3.20	4.92

Long Short (ロングアンドショート)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SKLS 25 (1:3)		1.46	0.45	0.92
SKLS 30 (1:3)		2.18	0.66	1.24
SKLS 35 (1:1)		2.76	0.84	1.49
SKLS 35 (1:3)		2.99	0.91	1.59
SKLS 40 (1:3)		3.89	1.19	1.99
SKLS 60 (1:1)		8.20	2.50	3.90
SKLS 60 (1:3)		9.15	2.79	4.32
SKLS 3030 (1:3)		1.98	0.60	1.15
SKLS 3035 (1:3)		2.85	0.87	1.53
SKLS 3040 (1:3)		3.59	1.09	1.86
SKLS 3060 (1:1)		7.71	2.35	3.69
SKLS 4030 (1:3)		1.86	0.57	1.09
SKLS 4035 (1:1)		2.33	0.71	1.30
SKLS 4035 (1:3)		2.44	0.74	1.35
SKLS 4060 (1:1)		7.10	2.16	3.42
SKLS 4060 (1:3)		8.15	2.48	3.88






Patterned Long Short (ロングアンドショートギザ)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SKLSG 30 (1:3)		1.95	0.59	1.13
SKLSG 35 (1:1)		2.56	0.78	1.40
SKLSG 35 (1:3)		2.76	0.84	1.49
SKLSG 40 (1:3)		3.54	1.08	1.84
SKLSG 60 (1:1)		7.64	2.33	3.65
SKLSG 60 (1:3)		8.70	2.65	4.12
SKLSG 2030 (1:3)		1.93	0.59	1.12
SKLSG 2035 (1:3)		2.77	0.84	1.50
SKLSG 2040 (1:3)		3.50	1.07	1.82







Square Long Short (スクウェア・ロングアンドショート)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SKLSLG 60 (1:3)		8.25	2.52	3.92



Small and Large (スモールアンドラージ)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SKSB 3535 (1:1)		2.67	0.81	1.45
SKSB 3535 (1:3)		2.83	0.86	1.52
SKSB 4535 (1:1)		3.84	1.17	1.97
SKSB 303535 (1:3)		2.63	0.80	1.44
SKSB 304535 (1:3)		3.28	1.00	1.72




























Heart (ハートチェーン)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
Heart 25		1.62	0.49	0.89
Heart 35		3.20	0.98	1.69
Heart 45		5.30	1.62	2.62
Heart 3025		1.49	0.45	0.83
Heart 3035		2.98	0.91	1.59
Heart 3045		4.98	1.52	2.48

Omega (オメガ)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
Omega 110		9.33	2.84	4.40
Omega 150		17.16	5.23	7.87

Figaro (フィガロ/LS小判)

Product Code	Product Image	Weight		
		gr / m	gr / ft	gr / 18 inch
SCLS 25 (1:3)		1.65	0.50	0.90
SCLS 30 (1:3)		2.35	0.72	1.31
SCLS 35 (1:1)		2.87	0.88	1.54
SCLS 35 (1:3)		3.18	0.97	1.68
SCLS 40 (1:1)		3.73	1.14	1.92
SCLS 40 (1:3)		4.15	1.27	2.11
SCLS 45 (1:1)		4.85	1.48	2.42
SCLS 45 (1:3)		5.20	1.59	2.57
SCLS 50 (1:1)		5.78	1.76	2.83
SCLS 50 (1:3)		6.45	1.97	3.13
SCLS 60 (1:1)		8.40	2.56	3.99
SCLS 60 (1:3)		9.41	2.87	4.44
SCLS 80 (1:3)		16.54	5.04	7.60
SCLS 100 (1:3)		25.62	7.81	11.62
SCLS 2025 (1:3)		1.50	0.46	0.83
SCLS 2030 (1:3)		1.95	0.59	1.13
SCLS 2035 (1:1)		2.45	0.75	1.36
SCLS 2035 (1:3)		3.10	0.95	1.64
SCLS 2040 (1:1)		3.40	1.04	1.78
SCLS 2040 (1:3)		3.85	1.17	1.98
SCLS 2045 (1:1)		4.50	1.37	2.26
SCLS 2045 (1:3)		4.80	1.46	2.40
SCLS 2050 (1:1)		5.40	1.65	2.66
SCLS 2050 (1:3)		5.80	1.77	2.84
SCLS 2060 (1:1)		7.70	2.35	3.68
SCLS 2060 (1:3)		8.70	2.65	4.12
SCLS 2080 (1:3)		16.00	4.88	7.36



株式会社 山森製鎖

【東京営業所】

〒110-0005 東京都台東区上野5-13-10
TEL(03)3839-3111 FAX(03)3839-3110

【大阪営業所】

〒542-0081 大阪市中央区南船場2-8-5リズム大阪ビル1F
TEL(06)6263-1277 FAX(06)6263-1278

【福岡営業所】

〒812-0011 福岡市博多区博多駅前3-9-15
TEL(092)481-1565 FAX(092)483-0560

【富山営業所】

〒930-0816 富山県富山市上赤江町1-3-63
TEL(076)432-3161 FAX(076)432-0077
Email: honsha-eigyoku@yamamori-gr.net

【本社・工場】

〒930-0816 富山県富山市上赤江町1-3-63
TEL(076)432-5907 FAX(076)432-0077

【代理店 (有)名古屋ゴールドチェーン】

〒453-0013 名古屋市中村区亀島2-12-12コマツビル3F
TEL(052)451-8388 FAX(052)451-8688